Data Sheet	7601 Checker Plate/Button Modular PVC Interlocking Floor Tiles

Data Sheet Type	Final
Material Reference	7601
Polymer	PVC
Date Issued	07/09/26

Description

PVC Modular Interlocking Tile System that is extremely versatile for a number of applications.
Ideal Flooring Solution for Garage Floors, Workshops, Warehouses, Car Parks, Gymnasiums, Utility Rooms and much much more.

These 500mm Square Tiles that lock together like a Jigsaw can be used in a variety of cofiguartions from simple squares to complex runners.

Tile Size = 500mm x 500mm x 14mm Ramped Edges Available

Our Modular Interlocking Tile systems have been tested for use in Buildings. Click on the links below for certification

Fire Tests for Determination of the Burning Behaviour of Floorings to BS EN ISO 9239-1:2010

Ignitability of Building Products to BS EN ISO 11925-2201

Specifications	Values	Test Methods
Flame Resistance	BFL-S1	EN 13501-1
Highest Recommended Working Temperature	50 °C	None
Load Weight	3350 KG Maintained for 2 Hours on Solid Base	None
Lowest Recommended Working Temperature	-20 °C	None
Total Weight	1.7 KG	In House

Purposes

Flame Retardent

Water Resistant

Weather Resistance

Important Notes about this Material Data Sheet

This datasheet has been carefully compiled to advise you, our customer, in the best possible way. The information, figures, test values, and data correspond to actual engineering standards and are the result of many years of tests and trials. As individual operating conditions influence the application of each product, the information supplied in this datasheet can only be seen as a rough guideline. In every case it is the sole responsibility of the customer to evaluate his individual requirements, in particular whether the specified properties of our products are sufficient for the intended use. This datasheet is subject to alteration without prior notice. All mentioned values contained herein are guiding values representing long-term experience averages. Please be aware that Test Results for individual Material Batches will only be provided if requested at the time of order and may be subject to additional charges and/or lead times. This Data Sheet supersedes all previous data sheets and any other data previously provided either Verbally, Electronic or Written, with reference to the above Material Grade.